



**PRO FORCE<sup>®</sup>**  
TURBINE DEBRIS BLOWER



**A FORCE TO BE RECKONED WITH.**



PRO FORCE®





# CLEAR DEBRIS WITH EASE.

The Toro® Pro Force® debris blower delivers tremendous air power for fast removal of debris from your golf course, sports fields, and maintained turf areas, as well as paved areas. Operated by a wireless remote control with unmatched functionality, and with design features such as the durable one-piece plastic nozzle, the Pro Force sets a new standard. Experience the Pro Force debris blower—the better way to clean and clear.



## » FEATURES

- 24.6 hp (18.3 kW) Kohler® Command Pro™ engine:
  - » Air-cooled
  - » Heavy-duty air cleaner
  - » Electronically-governed
- Efficient turbine-type axial flow fan assembly design
- Single-piece impact-resistant plastic nozzle
- Rugged construction includes steel trailer frame and sturdy plastic wheel fenders



## » UNMATCHED MANEUVERABILITY

Combine the maneuverability of Toro's Groundsmaster® 360 with the power of the Pro Force and you have the ultimate seasonal clean up machine. Front mount maximizes visibility, forward nozzle flow allows precise control, and PTO drive provides plenty of power. The Pro Force Debris Blower delivers durability, ease of use, and lots of airflow.



## » WIRELESS REMOTE CONTROL

- Start and stop the engine from the driver's seat for complete operational control
- 360-degree nozzle rotation in either direction
- Adjust engine throttle for power through full RPM range of operation
- Ergonomic weather-resistant design
- Complete operational control at your fingertips



PRO FORCE®





# TRUSTED PERFORMANCE.



## » SUPERIOR VERSATILITY

The Pro Force® is a self-contained engine-driven debris blower operated with a hand-held wireless RF controller. It utilizes a high-efficiency turbine-type fan assembly to deliver greater air power to clear turf or pavement of debris. The design also features a fully enclosed exhaust system with the muffler enclosed in a protective cage.



## » GONE WITH THE WIND

The Pro Force's single nozzle turbine provides the power to remove grass clippings, leaves, twigs, aeration cores, or other unwanted debris from your sports fields, golf courses, or other maintained turf areas. It also makes quick work of clearing hard surface areas such as park trails, parking lots, and cart paths.




## » DOT TRAILER MODEL\*\*

- D.O.T. approved tires
- D.O.T. approved brake, taillights and license plate holder
- Torsion suspension axle
- Side reflectors
- 2" ball hitch receiver
- Manufacturer's Certificate of Origin
- Vehicle Identification Number (V.I.N.)

\*D.O.T. - Department of Transportation

\*\*Customer is responsible for licensing the product through their local Department of Motor Vehicles.





## GREATER AIRFLOW

Highly efficient turbine-type fan assembly—designed for greater air flow to move debris further and finish the job faster.



## DURABLE NOZZLE

Single piece rotomolded plastic nozzle is more resistant to damage and is more durable for lower repair costs and less downtime.



## PRECISE SPEED CONTROL

Coupled with a wireless remote control, the Kohler® electronic governor provides the operator with precise engine speed control.



## ADJUSTABLE

Heavy-duty trailer and tow hitch can accommodate different towing utility vehicles by adjusting height and length of the tow hitch.



## INCREASED PRODUCTIVITY

Nearly double your run-time with the optional 10-gallon large capacity fuel tank, for increased productivity.



## RUGGED CONSTRUCTION

Rugged construction, including 1/4" (6 mm) steel trailer frame and sturdy plastic wheel fenders, provides years of trouble-free service.

## SPECIFICATIONS\*

### PRO FORCE® DEBRIS BLOWER

MODEL	44552	44553	44554
ENGINE	24.6 hp (18.3 kW) Kohler® Command Pro™ 725 cc, gas, 2-cylinder, air-cooled, electronically-governed.		
FAN DESIGN	High-efficiency, axial flow, turbine-type fan assembly.		
CONTROL	Hand held wireless RF controller provides capability to start and stop the engine, adjust engine throttle up and down for high to low RPM range of operation, and rotate nozzle 360 degrees in either direction. Ergonomic, weather resistant. <b>Note:</b> Model 44554 includes tethered controller and is offered in regions where wireless control is not available.		
NOZZLE	Single-piece impact-resistant plastic with 13" outlet diameter.		
ROTOR DIAMETER	14" (35.5 cm)		
FAN ASSEMBLY DIAMETER	14" (35.5 cm)		
WEIGHT	475 lbs. (215.4 kg)		
LENGTH	Standard 97" (246 cm) from adjustable tow hitch to nozzle outlet. 18" (45.7 cm) adjustable length for length range of 79"-115" (200.6 - 292.1 cm)		
WIDTH	48" (122 cm)		
HEIGHT	44" (111.7 cm)		
TOW-BEHIND TRAILER	Lawn-tractor style hitch (Category 1). Three hole locations to accommodate varying receiver heights.		
TIRE SIZE	20 x 10-8, 4-ply turf tire.		
FENDERS	Custom injection molded plastic.		
WARRANTY	Two-year or 1,500 hour limited warranty. See operator's manual for details.		

\*Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. See distributor for details on all warranties.



**Count on it.**

**LEARN MORE**

CONTACT US AT: **800-803-8676**  
OR VISIT US AT: **toro.com**

©2019 The Toro Company, Bloomington, MN 55420 All rights reserved.  
All other trademarks are property of their respective owners. Printed in the USA.

Part Number 19-086-T

*Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. We reserve the right to improve our products and make changes in specifications, design and standard equipment without notice and without incurring obligation. See your distributor for details on all our warranties.*

FOLLOW US!



[facebook.com/toro](https://facebook.com/toro)  
[twitter.com/TheToroCompany](https://twitter.com/TheToroCompany)  
[twitter.com/ToroGolf](https://twitter.com/ToroGolf)  
[youtube.com/toro](https://youtube.com/toro)  
[linkedin.com/company/the-toro-company](https://linkedin.com/company/the-toro-company)

